PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:		(11) International Publication Number:	WO 98/06815
C11D 7/50, 7/26, 7/28	A1	(43) International Publication Date:	19 February 1998 (19.02.98)

(21) International Application Number: PCT/US97/14213

(22) International Filing Date: 13 August 1997 (13.08.97)

(30) Priority Data:

60/024,799 13 August 1996 (13.08.96) US 08/891,112 10 July 1997 (10.07.97) US

(71) Applicant: E.I. DU PONT DE NEMOURS AND COMPANY [US/US]; 1007 Market Street, Wilmington, DE 19898 (US).

(72) Inventors: MERCHANT, Abid, Nazarali; 1408 Clive Circle, Wilmington, DE 19803 (US). MINOR, Barbara, Haviland; 233 Green Haven Drive, Elkton, MD 21921 (US). MOIYADI, Shoeb, Akberali; 47 Kings Grant Road, Hockessin, DE 19707 (US).

(74) Agent: KING, Karen, K.; E.I. du Pont de Nemours and Company, Legal/Patent Records Center, 1007 Market Street, Wilmington, DE 19898 (US). (81) Designated States: AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GE, GH, HU, IL, IS, JP, KG, KP, KR, KZ, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: ALKYLSILOXANE COMPOSITIONS

(57) Abstract

Compositions containing alkylsiloxane and at least one compound selected from the group consisting of 1,1,1,2,3,4,4,5,5,5-decafluoropentane, nonafluoromethoxybutane, nonafluoroethoxybutane, dichloropentafluoropropane, 2,2-dichloro-1,1,1-trifluoroethane and isopropanol are described. These compositions are useful as cleaning agents, heat transfer media, and carrier fluids.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia ·	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	· Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	. MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of Americ
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG ·	Congo	KE	Кепуа	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway .	zw	Zimbabwe
Cī	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	L	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

ALKYLSILOXANE COMPOSITIONS

CROSS-REFERENCE TO RELATED APPLICATION

This application claims the benefit of U.S. Provisional Application No. 10 60/024,799 filed August 13, 1996.

FIELD OF THE INVENTION

This invention relates to compositions containing alkylsiloxanes. These compositions include alkylsiloxane and at least one compound selected from the group consisting of 1,1,1,2,3,4,4,5,5,5-decafluoropentane, nonafluoromethoxybutane, nonafluoroethoxybutane, dichloropentafluoropropane, 2,2-dichloro-1,1,1-trifluoroethane and isopropanol. These compositions are useful as cleaning agents, heat transfer media, and carrier fluids.

20

25

30

15

BACKGROUND OF THE INVENTION

Fluorinated hydrocarbons have many uses such as cleaning agents, drying agents or carrier fluids. Such compounds include 1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113). In recent years it has been pointed out that certain kinds of fluorinated hydrocarbons released into the atmosphere may adversely affect the stratospheric ozone layer. Although this proposition has not yet been completely established, there is a movement toward the control of the use and production of certain chlorofluorocarbons (CFCs) and hydrochlorofluorocarbons (HCFCs) under an international agreement. There is a parallel concern about the contribution perfluorinated compounds make to global warming, therefore, it is desirable to find compounds that are partially fluorinated to reduce potential for global warming.

Accordingly there is a demand for the development of new compounds that have lower ozone depletion potential and lower global warming contribution than existing compounds while still achieving acceptable cleaning performance.

10

It is desirable to find partially fluorinated compounds for use as a cleaning agent to clean for example, silicone off medical instruments and tubing. Partially fluorinated compounds may also be useful as a carrier fluid, for example, to place a thin layer of silicone or another compound on a surface. To clean a surface containing silicone or to place silicone on a surface, it is desirable to add compounds to the partially fluorinated solvent to enhance solubility of silicone. It is particularly desirable that these compounds be non-flammable. These enhanced solvents may also be useful as heat transfer fluids, particularly in secondary loop systems. Enhanced solvents can also act as carriers for other compounds such as adhesion promoter accelerators, initiators and catalysts.

Accordingly, it has been found that adding specific agents to partially fluorinated compounds can enhance solubility of residues, for example, silicone, enhance cleaning performance, act as carrier fluids and heat transfer fluids.

SUMMARY OF THE INVENTION

20

The present invention relates to the following compositions: a first component, alkylsiloxane of the formula

25

where R is an alkyl group having from 1 to 10 carbon atoms and t is an integer from 1 to 5, and a second component, wherein the second component is selected from the group consisting of 1,1,1,2,3,4,4,5,5,5-decafluoropentane, nonafluoromethoxybutane, nonafluoroethoxybutane and dichloropentafluoropropane and optionally, a third component, wherein the third component is selected from the group consisting of isopropanol and 2,2-dichloro-1,1,1-trifluoroethane.

15

These compositions may be useful as cleaning agents, heat transfer media, silicone removal agents, and as carrier fluids for silicone, adhesion promoters or other compounds.

DETAILED DESCRIPTION

The present invention relates to the discovery of mixtures of alkylsiloxane and at least one of 1,1,1,2,3,4,4,5,5,5-decafluoropentane, nonafluoromethoxybutane, nonafluoroethoxybutane, dichloropentafluoropropane, isopropanol and 2,2-dichloro-1,1,1-trifluoroethane.

1-99% of each of the above components can be used as cleaning agents, heat transfer media, silicone removal agents, and as carrier fluids for compounds such as silicone, adhesion promoters or other compounds.

Nonafluoromethoxybutane (C₄F₉OCH₃) isomers of the present invention include 1,1,1,2,2,3,3,4,4,-nonafluoro-4-methoxy-butane (CH₃OCF₂CF₂CF₂CF₃), 1,1,1,2,3,3,-hexafluoro-2-(trifluoromethyl)-3-methoxy-propane (CH₃OCF₂CF(CF₃)₂),

20 1,1,1,3,3,3-hexafluoro-2-methoxy-2-(trifluoromethyl)-propane (CH₃OC(CF₃)₃), and 1,1,1,2,3,3,4,4,4-nonafluoro-2-methoxy-butane (CH₃OCF(CF₃)CF₂CF₃), approximate isomer boiling point = 60°C;

Nonafluoroethoxybutane (C₄F₉OC₂H₃) isomers of the present invention include 1,1,1,2,2,3,3,4,4-nonafluoro-4-ethoxybutane (CH₃CH₂OCF₂CF₂CF₂CF₃),

25 1,1,1,2,3,3-hexafluoro-2-(trifluoromethyl)-3-ethoxypropane (CH₃CH₂OCF₂CF(CF₃)₂), 1,1,1,3,3,3-hexafluoro-2-ethoxy-2-(trifluoromethyl)-propane (CH₃CH₂OC(CF₃)₃), and 1,1,1,2,3,3,4,4,4-nonafluoro-2-ethoxybutane (CH₃CH₂OCF(CF₃)CF₂CF₃) with approximate isomer boiling points of 73°C;

Dichloropentafluoropropane isomers include 1,1-dichloro-2,2,3,3,3-30 pentafluoropropane (CHCl₂CF₂CF₃, HCFC-225ca), boiling point = 50°C, and 1,3-dichloro-1,1,2,2,3-pentafluoropropane (CHClFCF₂CClF₂, HCFC-225cb), boiling point = 56°C. 2,2-dichloro-1,1,1-trifluoroethane (HCFC-123 or CHCl₂CF₃) has a boiling point of 27°C. Isopropanol (CH₃)₂CH0H has a boiling point of 82.2°C.

10

15

Effective amounts of these compositions can contain from 10 to 60 weight percent alkylsiloxane and 40 to 90 weight percent of at least one of HFC-43-10mee, C₄F₉OCH₃, C₄F₉OC₂H₅, HCFC-225ca, or HCFC-225cb. Effective amounts can also contain 1-30 weight percent alkylsiloxane, 9-50 weight percent HCFC-123, and 25-90 weight percent of at least one of HFC-43-10mee, C₄F₉OCH₃, C₄F₉OC₂H₅, HCFC-225ca, or HCFC-225cb. Compositions may also contain effective amounts of 10-59 weight percent alkylsiloxane, 1-20 weight percent isopropanol, and 40-89 weight percent of at least one of HFC-43-10mee, C₄F₉OCH₃, C₄F₉OC₂H₅, HCFC-225ca, or HCFC-225cb.

Specific examples illustrating the invention are given below. Unless otherwise stated therein, all percentages are by weight. It is to be understood that these examples are merely illustrative and in no way are to be interpreted as limiting the scope of the invention.

EXAMPLE 1

Flammability Test

20

25

A Penski-Martin Closed Cup flash point tester was filled with mixtures shown in Table 1. OS-10 is hexamethylsisiloxane and OS-20 is octamethyltrisiloxane. Flash points were determined in a temperature range from about -20C to 38C. No flash points were observed at any temperature for any mixture tested. Flammability was also tested by attempting to ignite mixtures in a pan with a spark and a flame. No ignitions resulted in mixtures tested.

TABLE 1

Flammability Data

	Mixture Wt% Flash Po	int Ignition in Pan	
	HFC-43-10mee/OS-10	9	
	80/20	None	
10	70/30	None	
	60/40	None	
	50/50	None	
	HFC-43-10mee/HCFC-	123/OS-10	
	50/30/20	None	None
15	60/20/20		None
	55/25/20		None
	60/25/15		None
	45/35/20	None	None
	45/30/25	None	None
20	HFC-43-10mee/OS-20/1	sopropanol	2.4
	50/40/10	•	None
	60/30/10		None
	70/20/10		None

25

30

EXAMPLE 2

A suitable container was filled with mixtures shown in Table 2 and mixed thoroughly at room temperature. Trans-1,2-DCE is trans-1,2-dichloroethylene (CCI=CCI). Dow Corning 360, Dow Corning 550, or Dow Corning 1107 medical grade silicone oil was then slowly added to each mixture until the blend would no longer dissolve the oil.

-6-

***		B	•	~	~
	Λ	15		•	•

	Mixture	Weight Percent	Wt. %	Silicone Di	ssolved
			DC-360	DC-550 D	C-1107
	CFC-113	100	16.0		
	Hexane	100	16.0		
10	43-10mee/ cyclopentane/	65/15/20	0.5		
	trans-1,2-dichloroethyle	ne			
	43-10mee/ cyclohexane/	85/5/10	0.5		
.15	trans-1,2-dichloroethyle	ne .			
	43-10mee/OS-10	60/40	10.02		
	,	50/50	23.0		
	43-10mee/123/OS-10	50/30/20	5.12	14.0	25.0
		60/25/15	<1.0	1.68	9.0
20		60/20/10	<1.0	3.01	9.0
		47.5/35/17.5	5.0	12.0	24.0
•		45/30/25	18.2		
		50/35/15	5.5		
		45/35/20	12.85		
25	43-10mee/OS-20/ isopropanol	50/40/10	3.5		

Results show that the addition of hexamethyldisiloxane to HFC-43-10mee significantly improves silicone solubility. Alkysyloxane-containing blends can also act as silicone carrier fluids due to their ability to dissolve silicone. These blends also have the advantage of being non-flammable and non-toxic.

EXAMPLE 3

A suitable container was filled with the mixtures shown in Table 3. Preweighed tubing made of polyurethane was immersed in each mixture at a specified
temperature for three minutes. Parts were then dried, weighed and observed for swelling.

<u>TABLE 3</u> Weight Gain and Enlargement

Pre-Test Post-Test			% Wt Ch	ange in	
Solvent	Wt (kg)	Wt (kg)	BP(°C)	Increase	Dimension
CFC-113	0.1917	0.213	47	11.1	Enlarged
HFC-			•		
43-10mee/	0.174	0.2209	37	27,0	Enlarged and
cyclopentane/					softened
trans-1,2-DCE					4410110
(65/15/20 wt%)			• .		
Hexane	0.1669	0.2112	68	26.5	Enlarged
HFC-43-10mee/	0.1481	0.1481	55.5	0.0	No effect
123/OS-10		•			
(85/15 wt%)					
	Solvent CFC-113 HFC- 43-10mee/ cyclopentane/ trans-1,2-DCE (65/15/20 wt%) Hexane HFC-43-10mee/ 123/OS-10	Solvent Wt (kg) CFC-113 0.1917 HFC- 43-10mee/ 0.174 cyclopentane/ trans-1,2-DCE (65/15/20 wt%) Hexane 0.1669 HFC-43-10mee/ 0.1481 123/OS-10	Solvent Wt (kg) Wt (kg) CFC-113 0.1917 0.213 HFC- 43-10mee/ 0.174 0.2209 cyclopentane/ trans-1,2-DCE (65/15/20 wt%) Hexane 0.1669 0.2112 HFC-43-10mee/ 0.1481 0.1481 123/OS-10 0.1481 0.1481	Solvent Wt (kg) Wt (kg) BP(°C) CFC-113 0.1917 0.213 47 HFC- 43-10mee/ 0.174 0.2209 37 cyclopentane/ trans-1,2-DCE (65/15/20 wt%) 68 Hexane 0.1669 0.2112 68 HFC-43-10mee/ 0.1481 0.1481 55.5 123/OS-10	Solvent Wt (kg) Wt (kg) BP(°C) Increase

Results show the blends containing alkylsiloxanes demonstrated significantly reduced weight gain and swelling versus the other compositions tested.

EXAMPLE 4

Polyurethane, nylon and ABS tubing were coated with silicone and then cleaned with a solution containing 85 weight percent HFC-43-10mee and 15 weight percent hexamethyldisiloxane. Results are shown in Table 4 below.

TABLE 4

Cleanability

	Tubing Type	Degree of Cleaning
30 ·	Polyurethane	Visually Clean
	ABS	Visually Clean
	Nylon	Visually Clean

Tubing also felt clean with no evidence of silicone remaining on the tubes.

10

EXAMPLE 5

Lengths of Polysilicone tubing (Boston Scientific) were cut with tube weight and diameter recorded. A suitable container was filled with solvent compositions as shown in Table 5. Each composition was heated to the vapor temperatures shown and tubing was immersed in the solvent for several minutes. Tubing was removed and allowed to dry for 30 seconds. Tubing was then reweighed and the diameter remeasured. The change in weight and diameter were calculated.

TABLE 5

15	3 minute immersion:	Wt%	Change in Weight (g)	Change in Diameter(in)	Vapor T(°C)
	HCFC-225	100	+0.123	+0.016	53.5
	CFC-113	100	+0.1738	+0.024	47.5
•	HFC-43-10mee/OS-10	50/50	+0.0778	+0.023	57.0
20	HFC-43-10mee/OS-20	50/50	+0.0942	+0.031	57.0
	HCFC-225	100	+0.1182	+0.016	21.0
	CFC-113	100	+0.0874	+0.020	*
	HFC-43-10mee/OS-10	50/50	+0.0713	+0.018	Ħ
	HFC-43-10mee/OS-20	50/50	+0.0611	+0.023	tr .
25	15 minute immersion:		•	•	
	CFC-113	100	+0.3710	+0.038	21.0
	HFC-43-10/123/OS-10	50/30/20	+0.1595	+0.026	"
	HFC-43-10/OS-20/IPA	50/40/10	+0.1235	+0.023	н
	HFC-43-10/OS-20/IPA	60/20/10	+0.1031	+0.021	н
30	HFC-43-10/OS-20/IPA	70/20/10	+0.0871	+0.019	•

For connecting polysilicone tubing using a solvent, it is desirable to have a significant increase in tube diameter without a large increase in tube weight. The samples containing alkysiloxanes generally showed adequate change in tube diameter and the smallest increase in tube weight.

ADDITIONAL COMPOUNDS

Other components, such as aliphatic hydrocarbons having a boiling point of 0-100°C, hydrofluorocarbonalkanes having a boiling point of 0-100°C, hydrocarbon esters

10 having a boiling point between 0-100°C, hydrochlorofluorocarbons having a boiling point between 0-100°C, hydrofluorocarbons having a boiling point of 0-100°C, hydrochlorocarbons having a boiling point of 0-100°C, hydrochlorocarbons having a boiling point between 0-100°C, chlorocarbons and perfluorinated compounds, can be added to the azeotropic or azeotrope-like compositions described above without substantially changing the properties thereof, including the

15 constant boiling behavior, of the compositions. Examples of such components, which typically do not exceed about 10 weight percent of the total composition, include the following:

	COMPOUND	<u>FORMULA</u>	boiling point, °C
20	HCFC-123	CHCl2CF3	27
	HCFC-141b	CFCl₂CH₃	32
	HCFC-225aa	CHF ₂ CCl ₂ CF ₃	53
	HCFC-225da	CCIF2CHCICF3	. 50
	HFC-HFC-43-10mf	CF ₃ CH ₂ CF ₂ CF ₂ CF ₃	52
25	HFC-HFC-43-10mcf	CF ₃ CF ₂ CH ₂ CF ₂ CF ₃	52
	FC-C-51-12	cyclo-C ₄ F ₆ (CF ₃) ₂	45
		CH,OCF,CHFCF,	52
	HFC-C-354	cyclo-CF2CF2CH2CH2	50
		C ₄ F ₉ CH=CH ₂	58
30	MEK	CH ₃ C(O)C ₂ H ₅	. 80
	THF	cyclo-OC,H ₈	66
	methyl formate	HC(O)OCH ₃	
	ethyl formate	HC(O)OC ₂ H ₅	32
	methyl acetate	CH ₃ C(O)OCH ₃	. 54
35	ethyl acetate	CH ₃ C(O)OC ₂ H ₅	56
	1,2-dichloroethane	01130(0)002113	77
	acetonitrile		84
	methylene chloride		82
	heptane	CH (CH) Ctt	40
40	·praire	$CH_3(CH_2)_3CH_3$	98

5.

Additives such as lubricants, corrosion inhibitors, stabilizers, surfactants. dyes and other appropriate materials may be added to the novel compositions of the invention for a variety of purposes provided they do not have an adverse influence on the composition, for their intended applications. Examples of stabilizers include nitromethane and nitroethane.

-11-

CLAIMS

What is claimed is:

١,

- 1. A composition comprising effective amounts of alkylsiloxane and at least one compound selected from the group consisting of 1,1,1,2,3,4,4,5,5,5-decafluoropentane, nonafluoromethoxybutane, nonafluoroethoxybutane, dichloropentafluoropropane, 2,2-dichloro-1,1,1-trifluoroethane and isopropanol.
- 2. The composition of claim 1 comprising 10-60 weight percent
 alkylsiloxane and 40-90 weight percent 1,1,1,2,3,4,4,5,5,5-decafluoropentane; 10-60
 weight percent alkylsiloxane and 40-90 weight percent nonafluoromethoxybutane; 10-60
 weight percent alkylsiloxane and 40-90 weight percent nonafluoroethoxybutane; 10-60
 weight percent alkylsiloxane and 40-90 weight percent 1,1-dichloro-2,2,3,3,3pentafluoropropane; 10-60 weight percent alkylsiloxane and 40-90 weight percent 1,3dichloro-1,1,2,2,3-pentafluoropropane; 10-60 weight percent alkylsiloxane, 1-89 weight
 percent 1,1-dichloro-2,2,3,3,3-pentafluoropropane and 1-89 weight percent 1,3-dichloro1,1,2,2,3-pentafluoropropane.
- 3. The composition of Claim 1 comprising 1-30 weight percent alkylsiloxane, 9-50 weight percent 2,2-dichloro-1,1,1-trifluoroethane, and 25-90 weight percent of at least one compound selected from the group consisting of 1,1,1,2,3,4,4,5,5,5-decafluoropentane, nonafluoromethoxybutane, nonafluoroethoxybutane, 1,1-dichloro-2,2,3,3,3-pentafluoropropane and 1,3-dichloro-1,1,2,2,3-pentafluoropropane.

30

4. The composition of Claim 1 comprising 10-59 weight percent alkylsiloxane, 1-20 weight percent isopropanol, and 40-89 weight percent of at least one compound selected from the group consisting of 1,1,1,2,3,4,4,5,5,5-decafluoropentane,

- nonafluoromethoxybutane, nonafluoroethoxybutane, 1,1-dichloro-2,2,3,3,3-pentafluoropropane and 1,3-dichloro-1,1,2,2,3-pentafluoropropane.
- 5. A composition comprising 1-30 weight percent hexamethyldisiloxane, 25-90 weight percent 1,1,1,2,3,4,4,5,5,5-decafluoropentane and 9-50 weight percent 2,2-dichloro-1,1,1-trifluoroethane; and 10-59 weight percent octamethyltrisiloxane, 40-89 weight percent 1,1,1,2,3,4,4,5,5,5-decafluoropentane and 1-20 weight percent isopropanol.
- 6. A process for cleaning a solid surface which comprises cleaning said surface with a composition of claim 1 or 5.
 - 7. A process for carrying an active ingredient in a solvent in which the solvent comprises a composition of claim 1 or 5.
 - 8. A process for transferring heat from a heat source to a heat sink using a composition of claim 1 or 5.
 - 9. A fluid for carrying silicone comprising a composition of claim 1 or 5.

INTERNATIONAL SEARCH REPORT

Inte Fonal Application No PC i /US 97/14213

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 C11D7/50 C11 C11D7/26 C11D7/28 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC 6 Clid Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Category * Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. EP 0 699 746 A (KABUSHIKI KAISHA TOSHIBA) X 1,2,6,7 6 March 1996 see page 24; example 29; table 10 see page 25; example 30; table 11 see page 11, line 50 - page 12, line 2 X EP 0 576 687 A (OLYMPUS OPTICAL CO. LTD.) 1,6,7 5 January 1994 see page 10 - page 11; examples 7,8; table EP 0 710 715 A (AG TECHNOLOGY CO. LTD.) 8 A. 1 May 1996 see page 1, line 1 - line 38 see page 3, line 50 - line 51 see page 4, line 26 - line 34 -/--Further documents are listed in the continuation of box C. Patent family members are listed in annex. * Special categories of cited documents: ater document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the *A* document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive stop when the document is taken alone filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as apocified) You document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *O* document referring to an oral disclosure, use, exhibition or document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 2 4. 1L 97 11 November 1997 Name and mailing address of the ISA Authorized officer European Petent Office, P.B. 5818 Patentican 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016 Ketterer, M

INTERNATIONAL SEARCH REPORT

Inte onet Application No
PCT/US 97/14213

(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
alegory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	DATABASE WPI Week 9614 Derwent Publications Ltd., London, GB; AN 96-134156[37] XP002046160 "Aq. solution containing polyorganosiloxane and fluoro-compounds" & JP 08 024 806 (OLYMPUS OPTICAL CO. LTD.) , 30 January 1996 see abstract & JP 08 024 806 A	1,6
A	DATABASE WPI Week 9423 Derwent Publications Ltd., London, GB; AN 94-186550[23] XP002046161 "Cleaning composition useful as alternative for freon(s) - comprises a per:fluorocarbon and a low m.wt. siloxan" & JP 06 122 898 (OLYMPUS OPTICAL CO. LTD.), 6 May 1994 see abstract & JP 06 122 898 A	1,6
X	DATABASE WPI Week 9403 Derwent Publications Ltd., London, GB; AN 94-023141[03] XP002046162 "finishing liquid for manual wiping" & JP 05 331 494 (OLYMPUS OPTICAL CO. LTD.) , 14 December 1993 see abstract & JP 05 331 494 A see page 2, formula 1	1,6,7
A	EP 0 717 129 A (KABUSHIKI KAISHA TOSHIBA) 19 June 1996 see claims; examples	1,6
A	WO 94 23008 A (MINNESOTA MINING & MANUFACTURING COMPANY) 13 October 1994 see page 3, line 14 - page 4, line 12; claim 9; examples 9,10	1,6
	US 2 993 866 A (VAUGHN; WELLMAN) 25 July 1961 see examples	1,6,7

INTERNATIONAL SEARCH REPORT

nformation on patent family members

Intr 'ional Application No PL I/US 97/14213

				,
Patent docum- cited in search re		Publication date	Patent family member(s)	Publication date
EP 699746	Α	06-03-96	CN 1126488 A WO 9426864 A	10-07-96 24-11-94
EP 576687	A	05-01-94	JP 5222400 A JP 5320693 A JP 5339275 A WO 9314184 A JP 6088098 A	31-08-93 03-12-93 21-12-93 22-07-93 29-03-94
EP 710715	A	08-05-96	JP 7316595 A JP 7179290 A WO 9532274 A JP 8034996 A JP 8120298 A WO 9630294 A	05-12-95 18-07-95 30-11-95 06-02-96 14-05-96 03-10-96
EP 717129	A	19-06-96	EP 0717128 A EP 0757119 A AU 673062 B AU 6314594 A AU 646246 B AU 7475191 A CA 2050333 A DE 69126648 D EP 0473795 A JP 7275812 A JP 7275813 A WO 9113697 A KR 9510446 B KR 9701233 B US 5503681 A US 5538024 A	19-06-96 05-02-97 24-10-96 07-07-94 17-02-94 10-10-91 17-09-91 31-07-97 11-03-92 24-10-95 24-10-95 19-09-91 18-09-95 04-02-97 02-04-96 23-07-96
WO 9423008	A	13-10-94	US 5494601 A CN 1122146 A EP 0692017 A JP 8508484 T US 5560861 A	27-02-96 08-05-96 17-01-96 10-09-96 01-10-96
JS 2993866	A	25-07-61	NONE	******